

IN THE CLAIMS:

Please cancel claims 11 and 12, and amend claims 1, 3-6 and 10 as follows:

1. (Currently Amended) A tone generator system which generates at least one musical tone in response to sounding instruction data relating to a channel by using a program number based on tone color changing instruction data designating a tone color of the ~~corresponding~~ channel which is stored in predetermined timing before ~~[[a]]~~ the sounding instruction data, the tone color changing instruction data including a channel number indicative of the channel and ~~a corresponding~~ the program number, and the sounding instruction data including the channel number, comprising:

a first waveform storage that stores compressed waveform data, each of the stored compressed waveform data being readable based on the ~~corresponding~~ program number, the compressed waveform data being compressed in a compression method for compressing waveform data in units of a frame comprised of a plurality of samples encoded with a format selected from the group consisting of MPEG-1 Audio Layer 3 (MP3), MPEG-2, Advanced Audio Coding (AAC), and Adaptive Transform Acoustic Coding (ATRAC);

a second waveform storage;

a ~~supplying section~~ sequencer that sequentially receives and interprets a series of messages included in a musical composition file, supplies the tone color changing instruction data ~~derived from musical composition data to be reproduced~~ obtained by interpreting the series of messages, and then supplies the sounding instruction data ~~derived from the musical composition data to be reproduced~~ obtained by interpreting the series of messages;

a decoder ~~that is~~ responsive to the tone color changing instruction data supplied

from said ~~supplying-section~~ sequencer, for reading out from said first waveform storage the compressed waveform data based on the program number included in the supplied tone color changing instruction data, for decoding the readout compressed waveform data into waveform data in a pulse code modulation format, and for storing the decoded waveform data in the pulse code modulation format into said second waveform storage, each of the stored decoded waveform data being readable based on the ~~corresponding~~ channel number; and

a tone generator section that is responsive to the sounding instruction data supplied from said ~~supplying-section~~ sequencer, for reading out from said second waveform storage the waveform data in the pulse code modulation format[[ion]], based on the channel number included in the supplied sounding instruction data, and for generating musical tones based on the readout waveform data in the pulse code modulation format.

2. (Canceled)

3. (Currently Amended) A tone generator system according to claim 1, wherein said second waveform storage is ~~capable of~~ operable for storing waveform data inputted by a user.

4. (Currently Amended) A tone generator system according to claim 1, wherein said decoder is ~~capable of~~ operable for decoding compressed audio stream data inputted from an external device.

5. (Currently Amended) A tone generating method which generates at least one musical tone in response to sounding instruction data relating to a channel by using a program number based on tone color changing instruction data designating a tone color

of the ~~corresponding~~ channel which is stored in predetermined timing before the sounding instruction data, the tone color changing instruction data including a channel number indicative of the channel and a ~~corresponding~~ the program number, and the sounding instruction data including the channel number, comprising:

sequentially receiving and interpreting a series of messages included in a musical composition file;

supplying the tone color changing instruction data ~~derived from musical composition data to be reproduced~~ obtained by interpreting the series of messages, and then supplying the sounding instruction data ~~derived from the musical composition data to be reproduced~~ obtained by interpreting the series of messages;

reading out from a first waveform storage compressed waveform data based on the program number included in the supplied tone color changing instruction data, decoding the readout compressed waveform data into waveform data in a pulse code modulation format, and storing the decoded waveform data in the pulse code modulation format into a second waveform storage, in response to the supplied tone color changing instruction data, each of the compressed waveform data stored in the first waveform storage being readable based on the ~~corresponding~~ program number, the compressed waveform data being compressed in a compression method for compressing waveform data in units of a frame comprised of a plurality of samples encoded with a format selected from the group consisting of MPEG-1 Audio Layer 3 (MP3), MPEG-2, Advanced Audio Coding (AAC), and Adaptive Transform Acoustic Coding (ATRAC), and each of the decoded waveform data stored in the second waveform storage being readable based on the ~~corresponding~~ channel number;

and

reading out from the second waveform storage the waveform data in the pulse code modulation format, based on the channel number included in the supplied sounding instruction data, and generating musical tones based on the readout waveform data in the pulse code modulation format, in response to the supplied sounding instruction data.

6. (Currently Amended) A computer-readable medium having encoded thereon a program for executing a tone generating method which generates at least one musical tone in response to sounding instruction data relating to a channel by using a program number based on tone color changing instruction data designating a tone color of the ~~corresponding~~ channel which is stored in predetermined timing before the sounding instruction data, the tone color changing instruction data including a channel number indicative of the channel and ~~a corresponding~~ the program number, and the sounding instruction data including the channel number, the program comprising:

a ~~supplying~~ sequencer module for sequentially receiving and interpreting a series of messages included in a musical composition file, supplying the tone color changing instruction data ~~derived from musical composition data to be reproduced~~ obtained by interpreting the series of messages, and then supplying the sounding instruction data ~~derived from the musical composition data to be reproduced~~ obtained by interpreting the series of messages;

a decoding module for reading out from a first waveform storage compressed waveform data based on the program number included in the supplied tone color changing instruction data, and decoding the readout compressed waveform data into waveform data in a pulse code modulation format, and storing the decoded waveform

data in the pulse code modulation format into a second waveform storage in response to the supplied tone color changing instruction data, the compressed waveform data being compressed in a compression method for compressing waveform data in units of a frame comprised of a plurality of samples encoded with a format selected from the group consisting of MPEG-1 Audio Layer 3 (MP3), MPEG-2, Advanced Audio Coding (AAC), and Adaptive Transform Acoustic Coding (ATRAC), each of the compressed waveform data stored in the first waveform storage being readable based on the ~~corresponding~~ program number, and each of the decoded waveform data stored in the second waveform storage being readable based on the ~~corresponding~~ channel number; and

a tone generator module for reading out from the second waveform storage the waveform data in the pulse code modulation format, based on the channel number included in the supplied sounding instruction data, and generating musical tone data based on the readout waveform data in the pulse code modulation format, in response to the ~~supplied~~ sounding instruction data supplied from said sequencer module.

7. (Previously Presented) The tone generating method according to claim 5, further comprising storing waveform data inputted by a user in the second waveform storage.

8. (Previously Presented) A tone generating method according to claim 5, wherein the compressed waveform data is compressed audio stream data inputted from an external device.

9. (Previously Presented) A program according to claim 6, wherein the second waveform storage stores waveform data inputted by a user.

10. (Currently Amended) A program according to claim 6, wherein the decoding module is ~~capable of~~ operable for decoding compressed audio stream data inputted from

an external device.

11. Canceled

12. Canceled

///

///

///

///

///

///

///

///

///

///

///

///

///

///

///

///

///